

(11)特許出願公開番号

特開平10-263174

(43)公開日 平成10年(1998)10月6日

(51) Int.Cl.<sup>8</sup>

**A 6 3 F 7/02**

識別記号

**3 2 8**

**3 3 2**

3 5 0

FI

**A 6 3 F 7/02**

**3 2 8**

**3 3 2 Z**

**3 5 0 Z**

審査請求 未請求 請求項の数6 OL (全 12 頁)

(21)出願番号

特願平9-72346

(22) 出題日

平成9年(1997)3月25日

(71) 出願人 591033227

株式会社アムテックス

群馬県佐波郡赤堀町大字鹿島7番地

(72)発明者 中村 哲夫

群馬県桐生市境野町7丁目86番地 株式会社  
アムテックス内


(74)代理人 弁理士 森 哲也 (外2名)

(54) 【発明の名称】 遊技場の会員情報管理システム

(57) 【要約】

【課題】各会員毎の会員情報のうち、来店ポイント或いは貯玉数等を、グループ内で共有できるようにし、来店ポイント或いは貯玉数等に関してグループ単位でサービスを提供する。

【解決手段】例えば家族毎等グループ登録された会員の会員情報をグループ単位で管理し、貯玉合計 $F_{13}$ 及び来店ポイント $F_{14}$ については、家族内の会員の合計値で管理する。そして、貯玉合計 $F_{13}$ に応じて所定の景品の交換を可能とし、また、家族全員の来店ポイントの合計である来店ポイント $F_{14}$ に応じて家族内の各会員に所定のサービスを提供する。例えば家族内の何れかの会員が転居しその後来店できなくなった場合等でも、この会員の貯玉数或いは来店ポイントは家族毎の貯玉合計 $F_{13}$ 或いは来店ポイント $F_{14}$ として家族に相続され、無駄になることなく有効に利用される。



## 【特許請求の範囲】

【請求項1】 会員として登録されている顧客の会員情報を会員毎に管理するようにした遊技場の会員情報管理システムにおいて、前記会員をグループ登録するグループ登録手段と、前記グループ登録された会員の会員情報をグループ毎に管理するグループ情報管理手段と、当該グループ情報管理手段で管理するグループ毎の会員情報に基づき、グループ登録された会員に対して所定のグループサービスを提供するグループサービス提供手段と、を備えることを特徴とする遊技場の会員情報管理システム。

【請求項2】 前記グループサービスを複数種類設定しておき、それら複数のグループサービスのうち希望のグループサービスをグループ毎に選択可能なサービス指定手段を備え、前記サービス提供手段は、前記サービス指定手段により指定されたグループサービスをグループ毎に提供するようにしたことを特徴とする請求項1記載の遊技場の会員情報管理システム。

【請求項3】 前記グループサービスのうちの一つは、前記会員情報のうちの会員毎に固有の累積データを、同一グループ内の会員の累積データとして振り替える累積データ振り替えサービスであることを特徴とする請求項1又は2に記載の遊技場の会員情報管理システム。

【請求項4】 前記グループサービスのうちの一つは、前記会員情報のうちの会員毎に固有の累積データを、同一グループ内の会員について合計してグループ全体のグループ累積データを求め、当該グループ累積データの累積値に応じたサービスを前記グループ内の会員に提供する累積合計サービスであることを特徴とする請求項1又は2に記載の遊技場の会員情報管理システム。

【請求項5】 会員として登録されている顧客の会員情報を会員毎に管理するようにした遊技場の会員情報管理システムにおいて、前記会員をグループ登録するグループ登録手段と、前記グループ登録された会員の会員情報をグループ毎に管理するグループ情報管理手段と、を備え、当該グループ情報管理手段は、グループ登録された会員の会員情報を、前記会員全てに共通の共通情報と前記会員毎に固有の固有情報とに分けて管理するようにしたことを特徴とする遊技場の会員情報管理システム。

【請求項6】 前記固有情報のうちの所定の個人データを、同一グループ内の会員について合計し、当該グループ全体の累積データとして管理するようにしたことを特徴とする請求項5記載の遊技場の会員情報管理システム。

## 【発明の詳細な説明】

## 【0001】

【発明の属する技術分野】 本発明は、パチンコ店等の遊技場に会員として登録されている顧客を管理するためのシステムに関し、特に、グループ単位で顧客にサービスを提供できるようにしたものである。

## 【0002】

【従来の技術】 パチンコ店等の遊技場における会員システムの形態として、各顧客の会員情報（例えば、来店回数、遊技場に預けている貯玉数、貯玉との景品交換情報、遊技履歴等）を、例えば、会員の住所、氏名、性別、年齢等会員を特定する情報からなる会員識別情報と共に、各顧客毎に、データベースに送信・蓄積するようにしている。

【0003】 そして、例えばそのデータベースに蓄積されている会員情報を、顧客の要求等に応じてコンピュータ等により顧客に提供したり、或いは、例えば来店回数が所定回数以上である顧客にはより良いサービスを与えたりするようになっている。これにより、各顧客は、自己の会員情報を参照することによって、例えば現在の貯玉数を認識することができると共に、例えば景品交換の際には、景品交換情報を参照し、過去に交換した景品を認識することによって、過去に交換したものと同一の景品と交換を行うことを回避することができる。また、来店回数が増える毎により良いサービスを受けることができるし、遊技場にとってはこれに伴い固定客が増加し営業成績が向上することが期待できる。また、遊技場では、各顧客の会員情報に含まれる会員の住所、氏名等をもとに、例えば会員への通知等の案内状を送付する等を行うようになっている。

## 【0004】

【発明が解決しようとする課題】 上記のような遊技場の会員情報管理システムにおいては、会員情報を各顧客毎に管理するようにしているため、例えば各会員への案内状を送付する場合等には、顧客毎の会員情報をもとに案内状を送付することになる。そのため、例えば、家族で同一の遊技場の会員として登録している場合等には、顧客毎に案内状を送付しているから、例えば家族が同居している場合等には、宛て名は異なるが同一の案内状が同一家庭に複数送付されることになる。遊技場の案内状等の場合には、家族内でまわし読みすることが多く、また家庭内の会話等で家族員に伝達されるから、個々の家族員が案内状を必要としていることはほとんどなく、送付する必要のない案内状を送付していることになり、これは無駄である。

【0005】 また、例えば会員毎に提供されているサービスについて、例えば景品交換サービス等の場合には、貯玉数に応じて所望の景品との交換が行われることになるが、例えば、ある程度の貯玉数を保留したままで家族の一人が引っ越し等によって来店ができなくなった場合等には、貯玉数は顧客毎に管理しているから顧客がそれまで保持している貯玉数は、無駄になってしまうという問題がある。また、例えば家族で会員になっている顧客の場合等、家族員個人の貯玉数は少ないが、家族全員の貯玉の合計ならば所望の景品と交換が可能である場合等でも、貯玉数は個人単位で管理しているため、景品交換

を行うことができず、融通がきかないという問題がある。また、家族や親しい友人どうしであっても、他人の会員情報を見ることができず、例えば他人との遊技情報の比較などを行うことができないという問題がある。

【0006】そこで、この発明は、上記従来の問題に着目してなされたものであり、会員情報のうちサービスの対象となる情報を複数の会員で共有することができると共に、特定の会員間での会員情報の提示が可能であり、また、会員情報の削減を図ることの可能な遊技場の会員情報管理システムを提供することを目的としている。

【0007】

【課題を解決するための手段】上記目的を達成するために、本発明の請求項1に係る遊技場の会員情報管理システムは、会員として登録されている顧客の会員情報を会員毎に管理するようにした遊技場の会員情報管理システムにおいて、前記会員をグループ登録するグループ登録手段と、前記グループ登録された会員の会員情報をグループ毎に管理するグループ情報管理手段と、当該グループ情報管理手段で管理するグループ毎の会員情報に基づき、グループ登録された会員に対して所定のグループサービスを提供するグループサービス提供手段と、を備えることを特徴としている。

【0008】この発明によれば、グループ登録された会員の会員情報がグループ毎に管理され、このグループ登録された会員に対しては、例えばグループ登録されたグループ会員の遊技場への来店回数について、グループ内の合計が所定回数以上となったグループに対しては、優待特典を付与する等の、所定のグループサービスが提供される。これにより、会員の遊技場への来店意欲が向上し、集客力が向上する。

【0009】また、本発明の請求項2に係る遊技場の会員情報管理システムは、前記グループサービスを複数種類設定しておき、それら複数のグループサービスのうち希望のグループサービスをグループ毎に選択可能なサービス指定手段を備え、前記サービス提供手段は、前記サービス指定手段により指定されたグループサービスをグループ毎に提供するようにしたことを特徴としている。

【0010】この発明によれば、例えば会員情報の提示、或いは累積データの振り替え、累積データの合計等の複数種類設定されたグループサービスのうち、例えば、各グループ毎に希望するグループサービスとしてサービス指定手段で指定したグループサービスが、各グループ毎に提供される。よって、グループ毎にグループ内の会員の希望に応じて、希望するグループサービスを指定することにより、各グループ毎に所望のグループサービスが提供される。

【0011】また、本発明の請求項3に係る遊技場の会員情報管理システムは、前記グループサービスのうちの一つは、前記会員情報のうちの会員毎に固有の累積データを、同一グループ内の会員の累積データとして振り替

える累積データ振り替えサービスであることを特徴としている。

【0012】この発明によれば、例えば遊技場へ預けている遊技媒体の数等、会員情報のうちの会員毎に固有の累積データを、グループ登録された会員が指定した、同一グループに属する会員の累積データに振り替え、グループ会員間で累積データをやり取りする振り替えが行われる。したがって、例えば、グループ内の何れかの会員が転居等によって遊技場に来店できなくなった場合でも、この会員の累積データは同一グループ内の他の会員の累積データとして相続される。

【0013】なお、グループサービスとしては、例えば同一グループ内の会員の会員情報を互いに提示するような会員情報提示サービス等でもよく、これにより会員は同一グループ内の会員の、遊技情報或いは来店回数等の会員情報を参照し互いに比較することができる。

【0014】また、本発明の請求項4に係る遊技場の会員情報管理システムは、前記グループサービスのうちの一つは、前記会員情報のうちの会員毎に固有の累積データを、同一グループ内の会員について合計してグループ全体のグループ累積データを求め、当該グループ累積データの累積値に応じたサービスを前記グループ内の会員に提供する累積合計サービスであることを特徴としている。

【0015】この発明によれば、同一グループとして登録された会員の会員情報のうち、例えば遊技場への来店回数或いは遊技場へ預けている遊技媒体の数等の会員毎の累積データが、同一グループ内の会員について合計されてグループ全体のグループ累積データが求められる。そして、グループ累積データの累積値に応じて、グループ会員に優待特典を付与する等の累積合計サービスが提供される。これにより、会員の遊技場への来店意欲が向上し、集客力が向上する。

【0016】また、本発明の請求項5に係る遊技場の会員情報管理システムは、会員として登録されている顧客の会員情報を会員毎に管理するようにした遊技場の会員情報管理システムにおいて、前記会員をグループ登録するグループ登録手段と、前記グループ登録された会員の会員情報をグループ毎に管理するグループ情報管理手段と、を備え、当該グループ情報管理手段は、グループ登録された会員の会員情報を、前記会員全てに共通の共通情報と前記会員毎に固有の固有情報とに分けて管理するようにしたことを特徴としている。

【0017】この発明によれば、グループ情報管理手段では、グループ登録された会員の会員情報は、例えば家族単位でグループ登録した場合には、各グループ会員の会員情報のうち住所或いは電話番号、姓等のグループ会員全員で共通のデータからなる共通情報と、会員毎の名前或いは遊技情報等の各会員の固有のデータからなる固有情報とに会員情報が分けられ、グループ会員の会員情

報は一つに纏められた共通情報と各会員毎の固有情報とに分けて管理される。よって、会員情報のうちの共通情報は一纏めにされるから、その分グループ管理手段で管理する情報が削減される。

【0018】さらに、請求項6に係る遊技場の会員情報管理システムは、前記固有情報のうちの所定の個人データを、同一グループ内の会員について合計し、当該グループ全体の累積データとして管理するようにしたことを特徴としている。

【0019】この発明によれば、固有情報のうち、例えば遊技場への来店回数或いは遊技場へ預けている遊技媒体の数等、会員毎の所定の個人データについては、同一グループ内の会員の個人データが全て纏められてグループ全体の累積データとして管理される。よって、遊技場側では個人データについてはグループ全体の累積データとして管理しているから、例えばグループ内の会員が転居等で来店できなくなった場合でも、例えば来店しない会員の個人データを所定期間保存しておく等の特別の対処を行う必要はなく、個人データに対する対処が容易である。

【0020】

【発明の実施の形態】以下に、本発明の実施の形態を説明する。図1は、本発明の一実施の形態における全体構成を示す図であって、この実施の形態は、本発明に係る遊技場の会員情報管理システムを、遊技場としてのパチンコ店の会員情報管理システムに適用したものである。

【0021】まず、構成を説明すると、この遊技情報管理システムは、パチンコ店内のホール1と監視室3とに配設されている各装置によって実現されるシステムであって、ホール1及び監視室3のそれぞれに配設されている各装置は、通信ケーブル50を通じて情報通信可能に接続されている。

【0022】ホール1には、遊技機としてのパチンコ機10が複数配設された島状になっている遊技機島2が複数(図1にはその内一つのみを示す。)設けられていて、各遊技機島2に配設されているパチンコ機10のそれぞれには、磁気カード等からなる会員カードに記憶されている会員番号を読み取ることができるカードリーダ13と、通信ケーブル50を通じて必要な情報を通信する遊技機情報装置12と、パチンコ玉を貸し出す玉貸機11とが、一つずつ付設されている。

【0023】遊技機情報装置12は、マイクロプロセッサ、インタフェース回路、ROM、RAM等の記憶装置を内蔵した簡易なコンピュータであって、図示しない液晶ディスプレイや音声発生装置等を備え、それら液晶ディスプレイや音声発生装置によって、遊技中の顧客に情報を伝達することも可能になっている。なお、各遊技機情報装置12には、各パチンコ機10を識別するためのパチンコ機IDが割り当てられている。図1の例では、パチンコ機IDとして「0001」、「0002」が割

り当てられている様子を示している。

【0024】そして、遊技機情報装置12は、内蔵したインタフェース回路を介して通信ケーブル50に接続されると共に、パチンコ機10、玉貸機11が出力する種々の遊技情報、例えば顧客がパチンコ機10に投入したパチンコ玉(アウト玉)数、或いはパチンコ機10から出された当たり玉(補給玉)数、顧客毎の貸し玉数やプリペイドカードの利用度数等の玉貸機11の利用状況がわかる情報等を、自身に割り当てられているパチンコ機ID及びカードリーダ13が読み込んだ会員識別情報と共に、所定のタイミングで通信ケーブル50に送出して、監視室3内に配設されている管理コンピュータ30に送信可能になっている。

【0025】前記ホール1内には、遊技終了後に顧客が運んできたパチンコ玉の計数を行う計数機20が例えば景品交換カウンタの近く等に設置されており、この計数機20には、会員カードに記憶されている会員番号を読み取ることができるカードリーダ21と計数機20の計数値やカードリーダ21が読み取った会員番号を通信ケーブル50を通じて管理コンピュータ30に送信する計数機情報装置22とが付設されている。

【0026】さらに、ホール1内の例えば出入口の近くには、情報公開装置5が配設されており、この情報公開装置5も通信ケーブル50を介して管理コンピュータ30に接続されている。この情報公開装置5も基本的にはコンピュータであって、液晶表示装置や音声発生装置のような情報を顧客に伝達できる装置や、タッチパネルやテンキー等の情報を入力できる装置等を一体に有している。そして、来店した際に顧客がタッチパネル式になっている画面を操作することにより通信ケーブル50を通じて管理コンピュータ30から送られてくる、本日の特賞の発生状況等の営業情報を、映像や音声によって公開するようになっている。

【0027】また、情報公開装置5には、カードリーダ13、21と同様の機能を備えたカード差し込み部が一体に設けられていて、そのカード差し込み部に会員カードを差し込んでからこの情報公開装置5を利用する場合には、非会員に対するサービスとは異なり、会員向けのサービスが提供できるようにもなっている。会員向けのサービスとしては、例えば非会員には公開しないより詳細な営業情報を提供するサービスや、会員の遊技情報を分析してその結果を表示又は印刷するという遊技情報分析サービス等がある。

【0028】また、家族登録或いはグループ登録が行われた会員が、情報公開装置5においてキーボード等の入力装置を操作し、家族会員或いはグループ会員のみに提供されるサービスの提供を要求したとき、要求したサービスが提供されるようになっている。この家族会員或いはグループ会員のみに提供されるサービスは、例えば、同一家族内或いは同一グループ内の会員の会員情報の提

示、同一グループ内の会員への貯玉の振り替え（累積データ振り替えサービス）等がある。

【0029】前記貯玉とは、各会員がこのパチンコ店に預けているパチンコ玉のことであって、遊技終了時に会員が計数機20でパチンコ玉を計数する際にその日は景品交換を行う意思がない場合や、計数した際には景品交換の意思があっても景品交換カウンタに行った際に好みの景品がないために交換の意思を無くした場合等に、後日好みの景品が現れるまで、パチンコ玉を貯めることを認めているものである。

【0030】そして、監視室3に設置されている管理コンピュータ30にはパーソナルコンピュータ32が接続されていて、パーソナルコンピュータ32は、会員毎の会員情報が格納される会員データベース32Aと、本パチンコ店の営業情報（例えば、各パチンコ機毎の本日又は過去の大当たりの回数や勝率等）を記憶している営業情報データベース32Bとを備えている。そして、管理コンピュータ30は、通信ケーブル50を通じて送られてくる情報を、パーソナルコンピュータ32に与えると共に、そのパーソナルコンピュータ32を適宜制御することにより、会員データベース32A及び営業情報データベース32Bへの情報の蓄積を行うようになっている。

【0031】この会員データベース32Aは、会員として登録されている顧客毎の会員情報を蓄積するためのデータベースであって、会員毎に付与されている会員番号と対応して各会員毎の会員情報が蓄積されるようになっている。前記会員情報は、例えば、図2に示すように、会員の姓名、住所、郵便番号、電話番号、性別、年齢等の属性を表す属性情報K<sub>1</sub>、遊技履歴、合計等を表す遊技情報K<sub>2</sub>、貯玉と景品との交換履歴及び交換合計等を表す景品交換情報K<sub>3</sub>、会員の貯玉の履歴及び現在の貯玉数（累積データ）の合計等の貯玉情報K<sub>4</sub>、会員の来店日時等の来店履歴及び来店回数の合計（累積データ）等の来店ポイント情報K<sub>5</sub>等から形成されている。

【0032】前記会員情報Lのうち、属性情報K<sub>1</sub>は例えば会員登録時の会員の設定に基づき形成される。前記景品交換情報K<sub>3</sub>は、例えば、貯玉されているパチンコ玉により景品交換が行われたときに、例えば管理コンピュータ30と接続され、パーソナルコンピュータ等で形成される景品交換用端末25により、交換したパチンコ玉数をオペレータが入力することにより更新されるようになっている。また、計数機情報装置22から、会員番号と貯玉更新情報とが通知されて貯玉要求が行われたとき、或いは、景品交換用端末25から景品交換を行った端数のパチンコ玉数と会員番号とが通知されて貯玉要求が行われたとき、また、情報公開装置5において貯玉の振り替え操作が行われたとき、該当する会員情報の貯玉情報K<sub>4</sub>が更新されるようになっている。

【0033】また、例えばパチンコ機10に付設されて

いるカードリーダ13に会員カードを差し込み、その会員カードに記憶されている会員番号がカードリーダ13によって読み取られて遊技機情報装置12に送信され、そこから通信ケーブル50を通じて管理コンピュータ30に通信されることにより、管理コンピュータ30が来店を認識する。そして、遊技中には、補給玉、アウト玉、貸し玉等の個数等所定の情報が遊技情報として送信され、遊技終了時には、会員がカードリーダ13から会員カードを引き抜くから、これによって会員がそのパチンコ機10での遊技を終了したことが遊技機情報装置12によって認識され、その遊技の終了を表す情報が通信ケーブルを通じて管理コンピュータ30に送信されるから、カードリーダ13での読取によって、会員の入店を認識して来店ポイント情報K<sub>5</sub>を更新すると共に、遊技中に送信される所定の情報を遊技情報K<sub>2</sub>として順次会員データベース32Aに格納するようになっている。

【0034】また、管理コンピュータ30は情報公開装置5等からの通信ケーブル50を通じて送られている要求に応じて、パーソナルコンピュータ32を適宜制御して会員データベース32A或いは営業情報データベース32Bを検索させ、要求に対して回答となる情報を読み出し、その読み出された情報を通信ケーブル50を通じて要求発信側に返信するようになっている。

【0035】また、管理コンピュータ30では、管理コンピュータ30の入力装置において設定を行うことにより、会員を、家族会員、或いはグループ会員として、登録することができるようになっている（グループ登録手段）。前記家族会員及びグループ会員には、一般会員とは異なるサービス（グループサービス）が提供されるようになっている（グループサービス提供手段）。このサービスは、例えば、家族会員については、貯玉数及び来店した回数である来店ポイントを家族毎に管理し、例えば、来店ポイントが所定数以上となった場合には、この家族員全てに対して特定のサービスが提供されるようになっている。例えば家族会員個人では、来店ポイントが少なく、来店ポイントが所定数以上の一般会員に与えられるサービスを受けることができない会員でも、家族毎にその来店ポイントを管理することにより、特定サービスを提供するようになっている（累積合計サービス）。また、一般会員の場合には、個人の貯玉数に応じて景品交換を行うようになっているが、家族会員の場合には、家族毎の貯玉数に応じて景品交換を行うことができるようになっている。また、会員の要求に応じて、当該会員と同一の家族会員の会員情報を参照することができるようになっている。

【0036】一方、グループ会員については、グループ内の互いの会員情報の参照、グループ会員の貯玉を同一グループ内の他のグループ会員の貯玉として登録する貯玉の振り替え、等のサービスが提供されるようになっている。また、グループ会員の来店ポイント（グループ累

積データ)を、グループ単位で管理し、グループ全体の来店ポイントが所定数以上となった場合には、特定のサービスが提供されるようになっている(累積合計サービス)。そして、これらのグループ会員のみを提供されるサービスは、例えばグループ会員全員の取り決め、希望等によって、それぞれのサービスの提供を許可するか否かを表すサービス許可情報が設定されていて(サービス指定手段)、サービス許可情報でサービスの提供が許可されているサービスのみが提供されるようになっている。

【0037】前記管理コンピュータ30では、家族会員及びグループ会員の会員情報については、家族毎或いはグループ毎に管理するようになっている(グループ情報管理手段)。家族登録された会員の会員情報は、図3に示すように、家族会員情報Fとして家族毎に管理される。この家族会員情報Fは、ある家族の会員として登録された会員の共通の属性情報、例えば、姓、住所、郵便番号、電話番号等の家族会員内で共通の共通属性情報(共通情報)F<sub>11</sub>と、家族会員の個別の会員情報である家族会員個別情報(固有情報)F<sub>12</sub>と、家族会員の合計の貯玉数(グループ全体の累積データ)F<sub>13</sub>と、家族会員の合計の来店ポイント合計(グループ全体の累積データ)F<sub>14</sub>とから形成される。前記家族会員個別情報F<sub>12</sub>は、名、性別、年齢等会員固有の情報である個別属性情報K<sub>0</sub>と、前記遊技情報K<sub>2</sub>と、前記景品交換情報K<sub>3</sub>と、貯玉履歴K<sub>41</sub>と、来店履歴K<sub>51</sub>とから形成される。

【0038】一方、グループ登録された会員の会員情報は、図4に示すように、グループ会員情報Gによって、グループ毎に管理される。このグループ会員情報Gは、グループを特定する属性情報G<sub>11</sub>と、グループに含まれる会員の会員情報Lとのリンク情報G<sub>12</sub>とから形成される。前記属性情報G<sub>11</sub>は、例えばグループに含まれる会員数、グループ会員の間柄、サービス許可情報等であって、グループ登録時に入力設定される情報に基づき設定される。なお、グループ会員の会員情報Lは、図2に示す会員情報と同様であって、属性情報G<sub>11</sub>においてリンク情報G<sub>12</sub>を追加又は削除することによって、グループへの登録又はグループからの抹消が可能になっている。

【0039】そして、情報公開装置5での操作により、家族会員から家族内の会員情報の提示が要求された場合には、管理コンピュータ30では、カード差し込み部に差し込まれた会員カードから読み取った、会員情報の提示を要求した会員の会員番号から所属する家族を特定し、特定した家族の家族会員情報Fから、この家族に属する家族会員個別情報F<sub>12</sub>を順次読み出して情報公開装置5に転送する。また、グループ会員から同一グループ内の会員情報の提示が要求された場合には、会員情報の提示を要求した会員の会員番号から、所属するグループを特定し、そのグループに対応するグループ会員情報Gの属性情報G<sub>11</sub>を参照し、そのサービス許可情報におい

て、会員情報の提示が許可されている場合には、リンク情報G<sub>12</sub>により特定される会員情報を順次読み出して情報公開装置5に転送する。

【0040】また、情報公開装置5での操作によって、例えば振り替え先の会員番号と、振り替える貯玉数とを指定すること等により、グループ会員への貯玉の振り替えが要求された場合には、振り替え要求を行った会員の会員番号から所属するグループを特定し、また、振替先として指定された会員番号からその会員の所属するグループを特定する。そして、これらが同一グループに所属している場合には、対応するグループ会員情報Gの属性情報G<sub>11</sub>を参照し、そのサービス許可情報において、貯玉の振り替えが許可されているとき、振り替え要求を行った会員の会員情報Lの貯玉合計から、指定された貯玉数を減算し、振込先として指定された会員の会員情報Lの貯玉合計に指定された貯玉数を加算する。

【0041】また、例えば情報公開装置5或いは景品交換用端末25での操作により、端数パチンコ玉の振り替え操作として、振り替え要求を行った会員の会員番号と、振り替え先の会員番号と、振り替えるパチンコ玉数とを指定すること等によって、グループ会員への貯玉の振り替えが要求された場合には、管理コンピュータ30では、振り替え要求を行った会員の会員番号から所属するグループを特定し、また、振替先として指定された会員の所属グループを特定する。そして、これらが同一グループに所属しているとき、対応するグループ会員情報Gの属性情報G<sub>11</sub>を参照し、そのサービス許可情報において、貯玉の振り替えが許可されているとき、振り替え指定された会員の会員情報Lの貯玉合計に指定された貯玉数を加算して貯玉の振り替えを行う。

【0042】また、管理コンピュータ30では、グループ会員情報Gのサービス許可情報において、来店ポイントの合計が許可されている場合には、同一グループに属するグループ会員の来店ポイントの合計をグループ会員情報Gとして管理し、グループ会員のみを提供されるサービスを来店ポイントに応じて提供するようになっている。

【0043】次に、上記実施の形態の動作を説明する。来店した顧客がパチンコ機10においてカードリーダ13に会員カードを差し込み、遊技を開始すると、カードリーダ13から読み取られた会員番号が管理コンピュータ30に通知され、管理コンピュータ30では、会員番号からこの会員が家族会員であるか、グループ会員であるか、家族登録或いはグループ登録されていない一般会員であるかを判定し、家族会員である場合には、この会員が属する家族を特定し特定した家族に対応する家族会員情報Fの来店ポイント合計F<sub>14</sub>を更新し、また、この会員に対応する家族会員個別情報F<sub>12</sub>の来店履歴K<sub>51</sub>を更新する。一方、グループ会員である場合には、この会員が属するグループを特定し、そのグループ会員情報G



の属性情報G<sub>11</sub>を参照し、そのサービス許可情報において来店ポイントの合計が許可されている場合には、グループ会員の来店ポイント情報K<sub>5</sub>を更新すると共に、グループ内の会員全員の来店ポイント合計を算出する。

【0044】前記来店ポイントのカウンタは、例えば、カードリーダー13に会員カードを差し込むことによりカウンタし、一日単位でカウンタするようになっている。つまり、一日のうちに最初に会員カードをカードリーダー13に差し込んだときのみ来店ポイントのカウンタを行い、例えば、一日のうちに何度も来店した場合、或いは一日に何度もパチンコ機10での遊技を行う場合でも来店ポイントは1ポイントとしてカウンタするようになっている。

【0045】なお、この来店ポイントは、例えば、一日に何度もパチンコ機10での遊技を行う場合等には、例えばカードリーダー13から会員カードを抜き取ってから、所定時間経過後にカードリーダー13から同一の会員番号が通知されたときに、カウンタすることにより、一日のうちに何度も来店する場合には来店毎にカウンタするようにしてもよく、また、一つのパチンコ機10での遊技毎に来店回数をカウンタするようにしてもよい。

【0046】図5は、計数機情報装置22及び景品交換用端末25からの貯玉要求に対する、管理コンピュータ30での処理手順の一例を示したものであって、遊技終了後に顧客が運んできたパチンコ玉は、計数機20にかけられて計数が行われる。このとき、顧客が会員登録をしている場合には貯玉を行うことができ、会員カードをカードリーダー21に差し込み、計数機情報装置22において貯玉要求を行うことによって、管理コンピュータ30での貯玉要求に対する処理が行われる。

【0047】管理コンピュータ30では、カードリーダー21で読み取られて転送された会員番号をもとに、この会員が家族会員であるか否かを判定する（ステップS1）。そして、家族会員である場合には、次に、この家族会員が属する家族を特定する（ステップS2）。そして、特定した家族、例えば、この会員が家族fの家族会員aである場合には、家族fの家族会員情報F<sub>f</sub>を参照し、その貯玉合計F<sub>13</sub>に、計数機情報装置22から転送される計数値を加算すると共に、家族会員aの会員番号に対応する会員情報F<sub>12a</sub>の貯玉履歴K<sub>41</sub>として、例えば貯玉日時、貯玉数等の所定の情報を書き込む（ステップS3、S4）。これにより、家族会員aが属する家族fの貯玉合計F<sub>13</sub>が増加する。

【0048】一方、例えば顧客が、グループ会員である場合には、カードリーダー21で読み取られた会員番号から、顧客がグループ会員であることが特定される（ステップS1）。そして、このとき、例えばグループ会員pが貯玉の振込先としてグループ会員rの会員番号を指定すると（ステップS5）、管理コンピュータ30では、振込先として指定された会員rが属するグループを会員

番号から特定し、貯玉要求を行ったグループ会員pが属するグループとが同一グループである場合には（ステップS6）、このグループに対応するグループ会員情報Gの属性情報G<sub>11</sub>の属性情報を参照し、サービス許可情報において、振り替えが許可されているか否かを判断する（ステップS7）。

【0049】そして、振り替えが許可されている場合には、振込先として指定された会員rの会員情報L<sub>p</sub>の貯玉情報K<sub>4</sub>を更新し、例えば、貯玉履歴として、貯玉日時、振込人、振込貯玉数等所定の情報を書き込み、また貯玉合計に通知された計数値を加算する（ステップS8）。これにより、グループ会員pが得た貯玉がグループ会員rの貯玉として振り替えられたことになる。

【0050】一方、振込元と振込先の会員が属するグループが同一でない場合（ステップS6）、或いは振込元及び振込先の会員が属するグループ会員情報Gの属性情報G<sub>11</sub>においてサービス許可情報で振り替えが許可されていない場合（ステップS7）には、例えば、計数機情報装置22に例えばグループ不一致、或いは、振り替え未許可等といったアラーム情報を通知し（ステップS9）、計数機情報装置22がこれを表示すること等によって顧客に、異常設定が行われたことを通知する。

【0051】また、顧客がグループ会員でも家族会員でもない場合、或いは、グループ会員により振り替え先の指定が行われない場合には（ステップS1、S5）、貯玉要求を行った会員の会員番号に対応する会員情報Lの貯玉情報K<sub>4</sub>において、貯玉履歴及び貯玉合計を更新する（ステップS10）。これにより、貯玉要求を行った会員の貯玉合計が増加し、貯玉が行われたことになる。

【0052】次に、図6は、情報公開装置5からの情報提示要求に対する管理コンピュータ30での処理手順の一例を示すフローチャートである。家族会員或いはグループ会員には、同一家族或いは同一グループの会員間で相互に会員情報を参照することのできるサービスが提供される。例えば顧客が、情報公開装置5において、会員カードをカード差し込み部に差し込み、情報提示要求を行うと、管理コンピュータ30では、図6に示す処理を実行し、会員カードから読み込んだ会員番号をもとに、顧客が家族会員であるかを判断する（ステップS11）。

そして、例えば顧客が家族fの家族会員cである場合には、対応する家族、この場合家族fを特定し、特定した家族fの家族会員情報F<sub>f</sub>を参照し、この家族に含まれる会員情報F<sub>12a</sub>～F<sub>12c</sub>を順次読み出して情報公開装置5に転送する（ステップS12）。これにより、家族会員cと同一家族である家族会員a、b、cの会員情報F<sub>12a</sub>～F<sub>12c</sub>が情報公開装置5に表示される。

【0053】一方、顧客が家族会員でない場合には（ステップS11）、次に、グループ会員であるか否かを判断する（ステップS13）。そして、例えば顧客がグル

ープtのグループ会員rである場合には、顧客が属するグループ、この場合グループtを特定し、グループtのグループ会員情報Gtの属性情報G<sub>11</sub>を参照し、そのサービス許可情報において、情報提示が許可されているか否かを判断する(ステップS14)。そして、情報提示が許可されている場合には、顧客が属するグループ、つまり、グループtに属している会員に対応する会員情報Lp、Lq、Lrを順次読み出して情報公開装置5に転送する(ステップS15)。

【0054】これにより、情報公開装置5には、情報提示要求を行ったグループ会員rと同一グループGtに属する会員の会員情報Lp～Lrが表示される。また、顧客が家族会員でもなく(ステップS11)、グループ会員でもない場合(ステップS13)、また、サービス許可情報において情報提示が許可されていない場合(ステップS14)には、例えば異常設定としてこれを情報公開装置5に通知し(ステップS16)、情報公開装置5がアラームメッセージを表示すること等によって顧客に通知する。

【0055】次に、図7は、情報公開装置5によって、振り替え要求が行われた時の管理コンピュータ30の処理手順の一例を示すフローチャートである。グループ会員には、同一のグループに属する会員間での貯玉の振り替えを行うサービスが提供される。

【0056】例えば顧客が会員カードを情報公開装置5のカード差し込み部に差し込み、振り替え先の会員番号と、振り替える貯玉数とを指定すること等によって、貯玉の振り替え要求を行うと、管理コンピュータ30は図7のフローチャートを実行する。まず、会員カードから読み取った会員番号から、顧客がグループ会員であるかを判断する(ステップS21)。顧客がグループ会員である場合には、次に、振り替え先として指定された会員番号からこの会員が属するグループを特定し、顧客と同一のグループに属しているか否かを判断する(ステップS22)。

【0057】そして、例えば、グループtのグループ会員qがグループ会員pへの振り替え要求を行った場合には、振り替え要求を行った会員と振り替え先に指定された会員とは共にグループtに属しているから、グループtに対応するグループ会員情報Gtの属性情報G<sub>11</sub>を参照し、サービス許可情報において振り替えが許可されているか否かを判定する(ステップS23)。

【0058】振り替えが許可されている場合には、グループ会員qの会員情報Lqの貯玉合計から、指定された振り替え貯玉数を減算し、振り替え先として指定されたグループ会員pの会員情報Lpの貯玉情報に指定された振り替え貯玉数を加算する。またこれと共に、それぞれの貯玉情報K<sub>4</sub>を更新する(ステップS24)。これにより、グループ会員qの貯玉が振り替え先として指定したグループ会員pに振り替えられたことになる。

【0059】一方、会員カードから読み取った会員番号に基づいて、顧客がグループ会員ではないと判断された場合(ステップS21)、振り替え先として指定された会員番号の会員と振り替え要求を行った会員とが同一グループに属さない場合(ステップS22)、グループ会員情報Gtの属性情報G<sub>11</sub>において振り替えが許可されていない場合(ステップS23)には、それぞれ異常設定として例えばこれを情報公開装置5に通知し(ステップS25)、情報公開装置5がアラームメッセージを表示する等によって、顧客に異常設定を通知する。

【0060】上述のように、本実施の形態では、各顧客の会員情報を家族単位或いはグループ単位で管理するようにし、グループ毎或いは家族毎に来店ポイントを合計して管理することができるようにしたから、例えば、家族、或いはグループ毎の来店ポイントに応じて家族会員或いはグループ会員に優待特定を提供するようにすれば、家族単位、或いはグループ単位で会員を獲得することができる。また、個人会員では来店ポイントが少なく、来店ポイントに応じた優待特典が提供されないような会員についても、優待特典が提供される可能性が広がり、より多くの会員にサービスを提供することができ、集客力の向上を図ることができる。

【0061】また、家族会員については、家族単位で貯玉合計をカウントするようにしたから、貯玉の共通利用を容易に行うことができ、例えば家族全員で協力することにより、交換に要するパチンコ玉数が多い景品でもより早い時点で交換することができ、景品獲得の可能性を向上させることができるから、会員の来店意欲を向上させることができ、集客力を向上させることができる。

【0062】また、ある家族会員、例えばaのみが転居し、来店ができなくなったような場合でも、この家族会員aの貯玉数或いは来店ポイントは、家族の貯玉数或いは来店ポイントとして相続されるから、家族会員aが獲得した貯玉数或いは来店ポイントを有効に活用することができる。また、遊技場側でも、来店しなくなった家族会員aの累積データを、例えば所定期間が経過するまで保存しておく等の処理を行う必要はなく、その対処に困ることはない。

【0063】また、グループ会員については、グループ内の何れかの会員が転居等により来店できなくなった場合でも、グループ会員に貯玉の振り替えを行うことにより、この会員の貯玉を相続することができ、有効に活用することができる。また、来店ポイントについてもグループ単位で来店ポイントを合計することにより、来店できなくなった会員の来店ポイントを無駄にすることなく有効に活用することができる。

【0064】また、上記実施の形態においては、家族会員間、或いはグループ会員間で、会員情報を提示することができるようにしたから、例えば会員間で互いの遊技情報或いは景品交換情報等をみることができ、グループ



或いは家族内での合計或いは比較等を行うことができる。

【0065】また、上記実施の形態においては、家族会員は家族単位で家族会員情報Fを形成し、また、グループ会員はグループ会員情報Gを形成し、これにより各家族会員或いはグループ会員を管理するようにしたから、同一の家族あるいはグループの会員を容易に判別することができ、例えば、会員情報の提示等の処理を行う場合でもより短時間で会員情報の提示を行うことができる。

【0066】また、家族会員については、各家族会員に共通の情報、例えば住所、姓、電話番号等は、共通属性情報F<sub>11</sub>として一つにまとめるようにしたから、その分、会員データベース32Aの情報量を削減することができると共に、管理コンピュータ30或いはパーソナルコンピュータ32での処理を削減することができる。また、共通の住所に居住している会員を家族会員として一まとめにして管理するようにしたから、例えば、会員宛に案内状等を郵送する場合でも、家族会員については家族単位で送付するだけでよく、経費削減を図ることができる。

【0067】また、グループ会員に対しては、予めサービス許可情報を設定するようにし、このサービス許可情報で設定されたサービスのみを提供するしたから、例えば、予めグループ会員全員の意思に基づいてサービス許可情報を設定することにより、来店ポイントを合計したくないグループ会員がいる場合に来店ポイントがグループの来店ポイントとして合計されること、或いは、会員情報を提示したくない会員がいる場合に、会員情報が提示されてしまうこと等を回避することができる。

【0068】なお、上記実施の形態においては、グループ会員に対してはサービス許可情報に基づいて、グループ会員全員の例えば来店ポイントを合計するか否か、或いは会員情報を提示するか否かを設定するようにしているが、サービス許可情報を各グループ会員毎に設定することによって、例えば、あるグループ会員の来店ポイントは個人の来店ポイントとするが、会員情報は提示する、或いは、会員情報は提示しないが、グループの来店ポイントとして合計する、等のように、グループに対するサービスを部分的に提供するようにすることも可能である。

【0069】また、上記実施の形態においては、家族会員については、貯玉数及び来店ポイントを家族単位で管理するようにした場合について説明したが、例えばグループ会員の場合と同様に、サービス許可情報において、貯玉数及び来店ポイントを家族内で合計するか否かを設定できるようにし、この設定に応じて貯玉数及び来店ポイントを合計するようにすることも可能である。

【0070】また、上記実施の形態においては、本発明に係るシステムをパチンコ店に適用した場合について説明したが、本発明の適用対象はこれに限定されるもので

はなく、パチンコ店以外の遊技場、例えば遊技媒体としてメダルを利用して遊技を行うスロットマシンを設置した遊技場や、同じくメダルを利用して種々のゲームを行うようになっているゲームセンタ等にも適用可能である。

【0071】また、上記実施の形態においては、グループ会員については、来店ポイントのみを合計するようにした場合について説明したが、貯玉数についても合計しグループ単位で景品との交換を行うことができるようにすることも可能である。

【0072】

【発明の効果】以上説明したように、本発明の請求項1に係る遊技場の会員情報管理システムは、グループ登録された会員の会員情報をグループ毎に管理するようにし、グループ登録された会員に対して所定のグループサービスを提供するようにしたから、グループ登録された会員の遊技場への来店意欲を向上させ、集客力の向上を図ることができる。

【0073】また、本発明の請求項2に係る遊技場の会員情報管理システムは、サービス指定手段でグループ毎に選択されたグループサービスを、グループ毎に提供するようにしたから、グループ毎に会員が希望するグループサービスを指定することにより、グループ内の会員の希望に応じたグループサービスを提供することができる。

【0074】また、本発明の請求項3に係る遊技場の会員情報管理システムは、会員毎に固有の累積データを、同一グループ内の会員間で振り替えるようにしたから、累積データの相続が可能となり、会員個人の累積データを有効に活用することができる。

【0075】また、本発明の請求項4に係る遊技場の会員情報管理システムは、会員情報のうちの会員固有の累積データについて、グループ内の会員について合計し、このグループ累積データの累積値に応じて所定のサービスを提供するようにしたから、会員の遊技場への来店意欲を向上させ集客力を向上させることができる。

【0076】また、本発明の請求項5に係る遊技場の会員情報管理システムは、グループ登録された会員情報のうち、グループ内の全ての会員について共通の情報については共通情報として一纏めにし、各会員情報を、共通情報と各会員固有の固有情報とにわけて管理するようにしたから、共通情報を一纏めにした分、情報量を削減することができると共に、会員情報の管理に対する処理負荷を軽減することができる。

【0077】さらに、請求項6に係る遊技場の会員情報管理システムは、固有情報のうちの会員毎の所定の個人データを、同一グループ内の会員について纏めてグループ全体の累積データとして管理するようにしたから、例えばグループ内の会員が転居等で来店できなくなったような場合でも、個人データについてはグループ全体の累

積データとして管理するから、遊技場側で来店しなくなった会員の個人データの対処に困ることはなく、会員情報の管理を容易に行うことができる。

【図面の簡単な説明】

【図1】本発明の一実施の形態の全体構成を示す図である。

【図2】一般の会員情報Lの一例である。

【図3】家族会員情報Fの一例である。

【図4】グループ会員の会員情報の管理状態を表す説明図である。

【図5】貯玉要求に対する、管理コンピュータ30での処理の一例を示すフローチャートである。


【図6】情報提示要求に対する、管理コンピュータ30での処理の一例を示すフローチャートである。

【図7】振り替え要求に対する、管理コンピュータ30での処理の一例を示すフローチャートである。


【符号の説明】

- 1 ホール
- 2 遊技機島
- 3 監視室
- 5 情報公開装置
- 10 パチンコ機
- 11 玉貸機
- 12 遊技機情報装置
- 13、21 カードリーダー
- 20 計数機
- 22 計数機情報装置
- 25 景品交換用端末
- 30 管理コンピュータ
- 32 パーソナルコンピュータ
- 50 通信ケーブル


【図1】




【図2】




【図5】




【図3】




【図4】



【図7】



【図6】



# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-263174

(43)Date of publication of application : 06.10.1998

(51)Int.Cl. A63F 7/02  
A63F 7/02  
A63F 7/02

(21)Application number : 09-072346

(71)Applicant : AMTEX KK

(22)Date of filing : 25.03.1997


(72)Inventor : NAKAMURA TETSUO

## (54) MEMBER DATA MANAGEMENT SYSTEM FOR GAME HOUSE

### (57)Abstract:

**PROBLEM TO BE SOLVED:** To provide a member data management system for providing services concerning visit-shop points or saving balls for members of a game house by allowing data on the visit-shop points or the number of saving balls among data of an individual member to be used in common among the member's group.

**SOLUTION:** Data of a member registered as a group member such as a family are managed by the group. So the total saving balls F13 and the total visit-shop points of the total members of a family are managed as the data on the number of saving balls and visit-shop points. And a prescribed premium can be given according to the total saving balls F13, and each of the family members will be provided with prescribed services according to the total visit-shop points F14 of the family members. If any one of the family members moves out and cannot visit the shop any more, the saving balk or the visit-shop points of that member can be transferred to the remaining family members and included in the total saving balls F13 or the total visit-shop points F14, so they can be utilized profitably.



## LEGAL STATUS

[Date of request for examination] 30.10.2002

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]





[Date of requesting appeal against examiner's  
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office



## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

## CLAIMS

---

### [Claim(s)]

[Claim 1] The member intelligent manufacturing system program of the amusement center which managed a customer's member information which is characterized by providing the following, and which is registered as a member for every member. The group registration means which carries out group registration of the aforementioned member. A group information management means to manage a member's member information by which group registration was carried out [ aforementioned ] for every group, and a group service provision means to offer predetermined group service to the member by whom group registration was done based on the member information for every group which manages with a groups-involved information management means.

[Claim 2] It is the member intelligent manufacturing system program of the amusement center according to claim 1 which sets up two or more kinds of aforementioned group services, is equipped with a selectable service specification means for group service of hope for every group, and is characterized by the aforementioned service provision means offering the group service specified by the aforementioned service specification means for every group among group services of these plurality.

[Claim 3] One of the aforementioned group services is the member intelligent manufacturing system program of the amusement center according to claim 1 or 2 characterized by being the accumulation data change service which changes peculiar accumulation data as accumulation data of the member in the same group for every member of the aforementioned member information.

[Claim 4] One of the aforementioned group services is the member intelligent manufacturing system program of the amusement center according to claim 1 or 2 characterized by being the accumulation sum total service which totals peculiar accumulation data about the member in the same group for every member of the aforementioned member information, asks for the group accumulation data of the whole group, and provides the member in the aforementioned group with the service according to the accumulation value of groups-involved accumulation data.

[Claim 5] In the member intelligent manufacturing system program of the amusement center which managed a customer's member information registered as a member for every member The group registration means which carries out group registration of the aforementioned member, and a group information management means to manage a member's member information by which group registration was carried out [ aforementioned ] for every group, \*\*\*\*\* and a groups-involved information management means are the member intelligent manufacturing system program of the amusement center characterized by dividing into peculiar peculiar information a member's member information by which group registration was carried out for every aforementioned member with common information common to all the aforementioned members, and managing it.

[Claim 6] The member intelligent manufacturing system program of the amusement center according to claim 5 characterized by totaling the predetermined personal data of the aforementioned peculiar information about the member in the same group, and managing them as accumulation data of the whole groups involved.



---

[Translation done.]





## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

- 1.This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

---

DETAILED DESCRIPTION

---

[Detailed Description of the Invention]

[0001]

[The technical field to which invention belongs] this invention enables it to provide a customer with service per group especially about the system for managing the customer registered into amusement centers, such as a pachinko parlor, as a member.

[0002]

[Description of the Prior Art] As one gestalt of the member system in amusement centers, such as a pachinko parlor, it transmits and is made to accumulate each customer's member information (for example, the number of times of coming to the store, the number of \*\*\*\* currently deposited with the amusement center, the premium exchange information on \*\*\*\*, a game history, etc.) at the TETA base with the member identification information which consists of information which specifies members, such as a member's address, a name, sex, and age, for every customer.

[0003] And it provides for a customer by computer etc., or better service is given to the customer for example, whose number of times of coming to the store is more than the number of times of predetermined about the member information accumulated at the database, for example according to a demand of a customer etc. Thereby, each customer can avoid exchanging for the same premium as what was exchanged in the past by recognizing the premium exchanged in the past with reference to premium exchange information in the case of premium exchange, for example while being able to recognize the present number of \*\*\*\* by referring to the member information on self. Moreover, it is expectable that can receive better service whenever the number of times of coming to the store increases, and regular customers increase in number in connection with this for an amusement center, and business results improve. Moreover, in an amusement center, it performs sending invitations, such as a notice to a member, etc. based on a member's address contained in each customer's member information, a name, etc.

[0004]

[Problem(s) to be Solved by the Invention] In the member intelligent manufacturing system program of the above amusement centers, since it is made to manage member information for every customer, for example, when sending the invitation to each member, an invitation will be sent based on the member information for every customer. therefore -- for example, since the invitation is sent for every customer when having registered as a member of the same amusement center with the family, when the family lives together, for example, although addressing names differ, two or more same invitations will be sent to the same home The invitation which does not almost have that in the case of the invitation of an amusement center etc. each family member needs the invitation since it is transmitted to a family member in a domestic conversation etc. turning, reading and carrying out in many cases within a family, and does not have the need of sending will be sent, and this is useless.

[0005] Moreover, although exchange with a desired premium will be performed about the service currently offered, for example for every member according to the number of \*\*\*\* in the case of for example, premium exchange service etc. For example, the number of \*\*\*\* which the customer holds till then since the number of \*\*\*\* is managed for every customer when one of



families becomes impossible by it etc. as for coming to the store, with a certain amount of number of \*\*\*\* suspended has the problem of becoming useless. Moreover, although a family member individual's number of \*\*\*\* has few cases of the customer who is the member, for example with the family etc., if it is the sum total of all families' \*\*\*\*, when a desired premium and exchange are possible, the number of \*\*\*\* cannot perform premium exchange, but since it has managed per individual, has the problem of being inflexible. Moreover, even if it is a family and intimate friends, others' member information cannot be seen, for example, there is a problem that comparison of game information with others etc. cannot be performed.

[0006] Then, this invention aims at offering the member intelligent manufacturing system program of the amusement center [ presentation of the member information between specific members is possible, and ] which can aim at curtailment of member information while it can share between two or more members the information which is made paying attention to the above-mentioned conventional problem, and is set as the object of service among member information.

[0007]

[Means for Solving the Problem] In order to attain the above-mentioned purpose, the member intelligent manufacturing system program of the amusement center concerning the claim 1 of this invention In the member intelligent manufacturing system program of the amusement center which managed a customer's member information registered as a member for every member The group registration means which carries out group registration of the aforementioned member, and a group information management means to manage a member's member information by which group registration was carried out [ aforementioned ] for every group, It is characterized by having a group service provision means to offer predetermined group service to the member by whom group registration was done, based on the member information for every group managed with a groups-involved information management means.

[0008] According to this invention, predetermined group service of a member's member information by which group registration was carried out being managed for every group, and the sum total in a group giving a warm treatment privilege to the group which became more than the number of times of predetermined about the number of times of coming to the store to a group member's amusement center by which group registration was carried out to this member by whom group registration was done, for example is offered. Thereby, the coming-to-the-store volition to a member's amusement center improves, and \*\*\*\* improves.

[0009] Moreover, the member intelligent manufacturing system program of the amusement center concerning the claim 2 of this invention sets up two or more kinds of aforementioned group services, and it is characterized by offering the group service with which had the selectable service specification means for every group, and the aforementioned service provision means was specified to be by the aforementioned service specification means in group service of hope for every group among group services of these plurality.

[0010] According to this invention, the group service specified with the service specification means as group giving [ which he wishes for every group ] is offered for every group, for example among the group services set [ sum total / of presentation of member information or the change of accumulation data, and accumulation data ] up two or more kinds. Therefore, desired group service is offered for every group by specifying group giving [ which he wishes according to the hope of the member in a group for every group ].

[0011] Moreover, it is characterized by the member intelligent manufacturing system program of the amusement center concerning the claim 3 of this invention being accumulation data change service to which one of the aforementioned group services changes peculiar accumulation data as accumulation data of the member in the same group for every member of the aforementioned member information.

[0012] According to this invention, peculiar accumulation data are changed to the accumulation data of the member belonging to the same group specified by the member by whom group registration was done for every member of the member information, such as the number of the game media which it has in the amusement center, for example, and change which exchanges accumulation data among group members is performed. Even when it follows, for example, it becomes impossible for which member in a group to come to the store to an amusement center



by move etc., this member's accumulation data are inherited as accumulation data of other members in the same group.

[0013] In addition, as group service, member information presentation services which present the member information of the member in the same group mutually, for example are sufficient, and, thereby, a member can compare mutually with reference to member information of the member in the same group, such as game information or the number of times of coming to the store.

[0014] Moreover, one of the aforementioned group services totals peculiar accumulation data about the member in the same group for every member of the aforementioned member information, the member intelligent manufacturing system program of the amusement center concerning the claim 4 of this invention asks for the group accumulation data of the whole group, and it is characterized by being the accumulation sum total service which provides the member in the aforementioned group with the service according to the accumulation value of groups-involved accumulation data.

[0015] According to this invention, the accumulation data for every members, such as the number of the game media which it has in the number of times of coming to the store or the amusement center to an amusement center among a member's member information registered the same group, are totaled about the member in the same group, and the group accumulation data of the whole group are called for. And according to the accumulation value of group accumulation data, accumulation sum total service of giving a group member a warm treatment privilege is offered. Thereby, the coming-to-the-store volition to a member's amusement center improves, and \*\*\*\*\* improves.

[0016] Moreover, the member intelligent manufacturing system program of the amusement center concerning the claim 5 of this invention In the member intelligent manufacturing system program of the amusement center which managed a customer's member information registered as a member for every member The group registration means which carries out group registration of the aforementioned member, and a group information management means to manage a member's member information by which group registration was carried out [ aforementioned ] for every group, \*\*\*\*\* and the groups-involved information management means are characterized by dividing into peculiar peculiar information a member's member information by which group registration was carried out for every aforementioned member with common information common to all the aforementioned members, and managing it.

[0017] According to this invention, with a group information management means When group registration is carried out for example, per family, a member's member information by which group registration was carried out The common information which consists of common data by all group members, such as the address or the telephone number, and a family name, among each group member's member information, Member information is divided into the peculiar information which consists of peculiar data of each member, such as a name for every member, or game information, and a group member's member information is divided into the common information summarized to one, and the peculiar information for every member, and is managed. Therefore, since the common information of the member information is put together, the information managed with the part group management tool is cut down.

[0018] Furthermore, the member intelligent manufacturing system program of the amusement center concerning a claim 6 is characterized by totaling the predetermined personal data of the aforementioned peculiar information about the member in the same group, and managing them as accumulation data of the whole groups involved.

[0019] According to this invention, about the predetermined personal data for every member, all the personal data of the member in the same group are gathered, and the number of the game media which it has in the number of times of coming to the store or the amusement center to an amusement center among peculiar information etc. is managed as accumulation data of the whole group. Therefore, in an amusement center side, since it has managed as accumulation data of the whole group about personal data, even when it becomes impossible for the member in a group to come to the store by move etc., for example, it is not necessary to perform special management of carrying out archiving of the personal data of the member who does not come to the store, for example, and the management to personal data is easy.





[0020]

[Embodiments of the Invention] Below, the gestalt of operation of this invention is explained. Drawing 1 is drawing showing the whole composition in the gestalt of 1 operation of this invention, and the gestalt of this operation applies the member intelligent manufacturing system program of the amusement center concerning this invention to the member intelligent manufacturing system program of the pachinko parlor as an amusement center.

[0021] First, explanation of composition connects each equipment which this game intelligent manufacturing system program is a system realized by each equipment currently arranged in the hole 1 and the surveillance room 3 in a pachinko parlor, and is arranged in each of a hole 1 and the surveillance room 3 possible [ information communication ] through the telecommunication cable 50.

[0022] The game machine island 2 which is the shape of an island by which two or more pachinko machines 10 as a game machine were arranged in the hole 1 is plurality (only one is shown in drawing 1 among those.). In each of the pachinko machine 10 currently arranged in each game machine island 2 The card reader 13 which can read the member number memorized by the member card which consists of a magnetic card etc., the game machine information equipment 12 which communicates required information through a telecommunication cable 50, and every one ball rental machine 11 which lends out a pachinko ball are attached.

[0023] Game machine information equipment 12 is a simple computer having storage, such as a microprocessor, an interface circuitry, and ROM, RAM, and it has a liquid crystal display, a speech generation device, etc. which are not illustrated, and it is also possible to transmit information to the customer in a game with these liquid crystal displays or a speech generation device. In addition, the pachinko machine ID for discriminating each pachinko machine 10 is assigned to each game machine information equipment 12. The example of drawing 1 shows signs that "0001" and "0002" are assigned as a pachinko machine ID.

[0024] And while game machine information equipment 12 is connected to a telecommunication cable 50 through the built-in interface circuitry The various game information which the pachinko machine 10 and a ball rental machine 11 output, for example, the number of pachinko balls (out ball) which the customer supplied to the pachinko machine 10, Or the information which was taken out from the pachinko machine 10 and which it hits and the use situation of the ball rental machines 11, such as the number of balls (supply ball), the number of balls on hire for every customer, and the number of availabilities of a prepaid card, understands With the member identification information which the pachinko machine ID currently assigned to self and the card reader 13 read, it sends out to a telecommunication cable 50 to predetermined timing, and has become ready-for-sending ability to the management computer 30 currently arranged in the surveillance room 3.

[0025] counting which performs counting of the pachinko ball which the customer carried after the game end in the aforementioned hole 1 -- a machine 20 -- for example, a premium exchange counter -- near -- etc. etc. -- it installs -- having -- \*\*\*\* -- this counting -- the card reader 21 which can read the member number memorized by the member card to a machine 20, and counting -- counting which transmits the member number which the enumerated data and the card reader 21 of a machine 20 read to a management computer 30 through a telecommunication cable 50 -- machine information equipment

[0026] Furthermore, near [ in a hole 1 (for example, an entrance) ], information disclosure equipment 5 is arranged and this information disclosure equipment 5 is also connected to the management computer 30 through the telecommunication cable 50. This information disclosure equipment 5 is also a computer fundamentally, and has in one equipment which can input the information that information like a liquid crystal display or a speech generation device can be transmitted to a customer, such as equipment, a touch panel, and a ten key. And when it comes to the store, operating information, such as a generating situation of today's grand prize sent from a management computer 30 through a telecommunication cable 50, is exhibited with an image or voice by operating the screen where the customer is touch-sensitiveness.

[0027] Moreover, after the card plug section which equipped information disclosure equipment 5 with the same function as card readers 13 and 21 is prepared in one and inserts a member card



in the card plug section, when using this information disclosure equipment 5, unlike the service to a non-member, the service for members can be offered. As service for members, a non-member has the service which offers the more detailed operating information which is not exhibited, game information-analysis service of analyzing a member's game information, and displaying or printing the result, etc., for example.

[0028] Moreover, the member to whom family registration or group registration was performed operates input units, such as a keyboard, in information disclosure equipment 5, and the demanded service is offered when offer of the service with which only a family member or a group member is provided is required. The service with which only this family member or a group member is provided has the change (accumulation data change service) of \*\*\*\* to presentation of the member information of the member for example, in the same family or the same group, and the member in the same group etc.

[0029] The aforementioned \*\*\*\* is a pachinko ball which each member has in this pachinko parlor. the time of a game end -- a member -- counting, when there is no intention of performing premium exchange on that day, in case counting of the pachinko ball is carried out with a machine 20 Since there is no favorite premium when it carries out to a premium exchange counter, even if there was an intention of premium exchange, when counting was carried out, when the intention of exchange is abolished, it admits collecting a pachinko ball until the premium of later liking appears.

[0030] And the personal computer 32 is connected to the management computer 30 currently installed in the surveillance room 3, and the personal computer 32 is equipped with member database 32A in which the member information for every member is stored, and operating information database 32B which has memorized the operating information on this pachinko parlor (for example, the number of times, the percentage of victories, etc. of great success of today for every pachinko machine, or the past). And a management computer 30 accumulates the information on member database 32A and operating information database 32B by controlling the personal computer 32 suitably while giving the information sent through a telecommunication cable 50 to a personal computer 32.

[0031] The member information for every member is accumulated corresponding to the member number which this member database 32A is a database for accumulating the member information for every customer registered as a member, and is given for every member. The aforementioned member information For example, the attribute information K1 which expresses attributes, such as a member's full name, the address, a zip code, the telephone number, sex, and age, as shown in drawing 2 , The premium exchange information K3 that an exchange history, the exchange sum total, etc. of the game information K2, \*\*\*\*, and the premium showing a game history, the sum total, etc. are expressed, coming-to-the-store point information K5, such as the sum total (accumulation data) of coming-to-the-store histories, such as the \*\*\*\* information K4, such as the sum total of the history of a member's \*\*\*\*, and the present number of \*\*\*\* (accumulation data), and a member's coming-to-the-store time, and the number of times of coming to the store, etc. -- from -- it is formed

[0032] Attribute information K1 among the aforementioned member information L For example, it is formed based on a setup of the member at the time of member registration. The aforementioned premium exchange information K3 For example, when premium exchange is performed by the pachinko ball \*\*\*\*(ed), it connects with a management computer 30, and it is updated when an operator inputs the exchanged number of pachinko balls with the terminal 25 for premium exchange formed with a personal computer etc. moreover, counting, when a member number and \*\*\*\* update information are notified and a \*\*\*\* demand is performed from machine information equipment 22 When the number of pachinko balls and member number of the fraction which performed premium exchange from the terminal 25 for premium exchange are notified and a \*\*\*\* demand is performed, and when change operation of \*\*\*\* is performed in information disclosure equipment 5, the \*\*\*\* information K4 on the corresponding member information is updated.

[0033] Moreover, when a member card is inserted in the card reader 13 attached, for example to the pachinko machine 10, it is read by the card reader 13, and is transmitted to game machine



information equipment 12 and the member number memorized by the member card communicates from there to a management computer 30 through a telecommunication cable 50, a management computer 30 recognizes coming to the store. Into a game, predetermined information, such as the numbers, such as a supply ball, an out ball, and a ball on hire, is transmitted as game information. and at the time of a game end Since a member draws out a member card from a card reader 13, it is recognized by game machine information equipment 12 that the member ended the game in the pachinko machine 10 by this. Since the information showing the end of the game is transmitted to a management computer 30 through a telecommunication cable, a member's ON store is recognized by reading by the card reader 13, and it is store point information K5. While updating It is the game information K2 about the predetermined information transmitted into a game. It carries out and stores in member database 32A one by one.

[0034] Moreover, a management computer 30 controls a personal computer 32 suitably, makes member database 32A or operating information database 32B search according to the demand currently sent through the telecommunication cable 50 from information disclosure equipment 5 grade, reads the information which is answered to a demand, and answers a demand origination side through a telecommunication cable 50 in the read information.

[0035] Moreover, in a management computer 30, a member can be registered now as a family member or a group member by setting up in the input unit of a management computer 30 (group registration means). The aforementioned family member and a group member are provided with different service (group service) from a general member (group service provision means). This service for example, about a family member When the coming-to-the-store point which are the number of \*\*\*\* and the number of times which came to the store is managed for every family, for example, the coming-to-the-store point becomes more than a predetermined number Specific service is offered to all. this family member — in a family member individual The member who cannot receive the service in which there is little coming-to-the-store point, and the coming-to-the-store point is given to the general member more than a predetermined number also offers specific service by managing the coming-to-the-store point for every family (accumulation sum total service). Moreover, although premium exchange is performed according to the individual number of \*\*\*\* in the case of a general member, in the case of a family member, premium exchange can be performed according to the number of \*\*\*\* for every family. Moreover, according to a demand of a member, the member information of the same family member as the member concerned can be referred to now.

[0036] On the other hand, about a group member, service of the change of \*\*\*\* which registers reference of the mutual member information in a group and a group member's \*\*\*\* as \*\*\*\* of other group members in the same group etc. is offered. Moreover, specific service is offered, when a group member's coming-to-the-store point (group accumulation data) is managed per group and the coming-to-the-store point of the whole group becomes more than a predetermined number (accumulation sum total service). And the service permission information that the service with which only these group members are provided means whether offer of each service is permitted by an agreement of for example, all the members' group members, hope, etc. is set up (service specification means), and only the service to which offer of service is permitted for service permission information is offered.

[0037] In the aforementioned management computer 30, it manages for every family and every group about the member information of a family member and a group member (group information management means). A member's member information by which family registration was carried out is managed for every family as family member information F, as shown in drawing 3 . The common attribute information F11 that it is common within family members, such as a member's common attribute information that this family member information F was registered as a certain family's member, for example, a family name, the address, a zip code, and the telephone number, (common information), It is formed from the family member individual information (peculiar information) F12 which is a family member's individual member information, F13 \*\*\*\* (accumulation data of the whole group) of a family member's sum total, and the coming-to-the-store point sum total (accumulation data of the whole group) F14 of a family member's sum total.





The aforementioned family member individual information F12 is the individual attribute information K0 which is information peculiar to a member, such as a name, sex, and age. The aforementioned game information K2 The aforementioned premium exchange information K3 It is formed from the \*\*\*\* history K41 and the coming-to-the-store history K51.

[0038] On the other hand, a member's member information by which group registration was carried out is managed for every group using the group member information G, as shown in drawing 4 . This group member information G is formed from the attribute information G11 which specifies a group, and the link information G12 with a member's member information L included in a group. The aforementioned attribute information G11 is the relation of the membership contained in a group, and a group member, service permission information, etc., and is set up based on the information by which an input setup is carried out at the time of group registration. In addition, the registration to a group or the deletion from a group is attained by a group member's member information L being the same as the member information shown in drawing 2 , and setting to the attribute information G11, and adding or deleting a link information G12.

[0039] and when presentation of the member information in a family is required from a family member by operation with information disclosure equipment 5 Read in the member card inserted in the card plug section in the management computer 30. The family who belongs from the member number of the member who demanded presentation of member information is specified, and from the family member information F of the family who specified, it is being begun to read the family member individual information F12 belonging to this family one by one, and transmits to information disclosure equipment 5. moreover, when presentation of the member information in the same group is required from a group member From the member number of the member who demanded presentation of member information, specify the group which belongs and it sets to the service permission information with reference to the attribute information G11 on the group member information G corresponding to the group. When presentation of member information is permitted, it is being begun to read the member information specified by the link information G12 one by one, and transmits to information disclosure equipment 5.

[0040] Moreover, the group to which the member belongs from the member number which specified the group which belongs from the member number of the member who performed the change demand when the change of \*\*\*\* to a group member is required by specifying the member number of for example, the change point and the number of \*\*\*\* to change etc., and was specified as the change point by operation with information disclosure equipment 5 is specified. and when these belong to the same group With reference to the attribute information G11 on the group member information G that it corresponds, it sets to the service permission information. When the change of \*\*\*\* is permitted, the specified number of \*\*\*\* is subtracted from the \*\*\*\* sum total of the member information L of the member who performed the change demand, and the number of \*\*\*\* specified to be the \*\*\*\* sum total of a member's member information L specified as a transfer place is added.

[0041] Moreover, by for example, operation with information disclosure equipment 5 or the terminal 25 for premium exchange By specifying the member number of the member who performed the change demand, the member number of the change point, and the number of pachinko balls to change as change operation of a fraction pachinko ball etc. When the change of \*\*\*\* to a group member is required, in a management computer 30, a member's affiliation group which specified the group which belongs from the member number of the member who performed the change demand, and was specified as the change point is specified. And when the change of \*\*\*\* is permitted in the service permission information with reference to the attribute information G11 on the group member information G that it corresponds when these belong to the same group, the number of \*\*\*\* specified to be the \*\*\*\* sum total of a member's member information L by which change specification was carried out is added, and change of \*\*\*\* is performed.

[0042] Moreover, in a management computer 30, in the service permission information on the group member information G, when the sum total of the coming-to-the-store point is permitted, the sum total of the coming-to-the-store point of the group member belonging to the same group is managed as group member information G, and the service with which only a group



member is provided is offered according to the coming-to-the-store point.

[0043] Next, operation of the form of the above-mentioned implementation is explained. If the customer who came to the store inserts a member card in a card reader 13 in the pachinko machine 10 and starts a game The member number read in the card reader 13 is notified to a management computer 30. in a management computer 30 From a member number, judge, and in being the family member, whether this member is a family member, you are the group member, or you are the general member by whom family registration or group registration is not done The coming-to-the-store point sum total F14 of the family member information F corresponding to the family who specified and specified the family to whom this member belongs is updated, and the coming-to-the-store history K51 of the family member individual information F12 corresponding to this member is updated. When the group to which this member belongs on the other hand in being the group member is specified, it sets to the service permission information with reference to the attribute information G11 on the group member information G and the sum total of the store point is permitted, it is a group member's coming-to-the-store point information K5. While updating, all members' coming-to-the-store point sum total in a group is computed.

[0044] The count of the aforementioned coming-to-the-store point is counted by inserting a member card in a card reader 13, and is counted per day. That is, when a member card is first fitted over the inside of a day at a card reader 13, and the coming-to-the-store point is counted, for example, it comes to the store repeatedly to the inside of a day, or even when performing the game in the pachinko machine 10 to a day repeatedly, the coming-to-the-store point is counted as one point.

[0045] in addition, when performing the game in the pachinko machine 10 to a day repeatedly, this coming-to-the-store point For example, after sampling the member card from the card reader 13, when the same member number is notified from a card reader 13 after predetermined-time progress When coming to the store repeatedly to the inside of a day, it may be made to count for every coming to the store, and you may make it count the number of times of coming to the store for every game in one pachinko machine 10 by counting.

[0046] drawing 5 -- counting -- the pachinko ball to the \*\*\*\* demand from machine information equipment 22 and the terminal 25 for premium exchange which showed an example of the procedure in a management computer 30, and the customer carried after the game end -- counting -- it is applied to a machine 20 and counting is performed the case where the customer is doing member registration at this time -- \*\*\*\* -- it can carry out -- a member card -- a card reader 21 -- inserting -- counting -- processing to the \*\*\*\* demand by the management computer 30 is performed by performing a \*\*\*\* demand in machine information equipment 22

[0047] In a management computer 30, this member judges whether you are the family member based on the member number read and transmitted by the card reader 21 (Step S1). And in the family member next, this family member specifies the family who acts as a group (Step S2). and when the family who specified, for example, this member, is Family's f family member a Family's f family member information Ff -- referring to -- the \*\*\*\* total -- F13 -- counting, while adding the enumerated data transmitted from machine information equipment 22 Member information F12a corresponding to the family member's a member number As a \*\*\*\* history K41, predetermined information, such as for example, \*\*\*\* time and the number of \*\*\*\*, is written in (Steps S3 and S4). Thereby, the \*\*\*\* sum total F13 of the family f to whom the family member a belongs increases.

[0048] On the other hand, when a customer is the group member, it is specified from the member number read by the card reader 21 that a customer is the group member (Step S1). When the group member's r member number is specified as a transfer place of \*\*\*\* at this time p, for example, a group member, (Step S5), and in a management computer 30 The group to which the member r specified as a transfer place belongs is specified from a member number. When the group to which the group member p who performed the \*\*\*\* demand belongs is the same group, with reference to the attribute information on (Step S6) and the attribute information G11 on the group member information G corresponding to this group, it sets to service permission information. It judges whether change is permitted or not (Step S7).



[0049] And \*\*\*\* information K4 on Member's r member information Lp specified as a transfer place when change was permitted The enumerated data which updated, wrote in predetermined information, such as \*\*\*\* time, a payer, and the number of transfer \*\*\*\*, as a \*\*\*\* history, and was notified to the \*\*\*\* sum total is added (Step S8). It means that \*\*\*\* which the group member p got was changed as the group member's r \*\*\*\* by this.

[0050] When the group to which the member of a transfer place belongs the agency transferring money on the other hand is not the same (Step S6), or when change is not permitted for service permission information in the attribute information G11 on the group member information G that the member of the agency transferring money and a transfer place belongs (Step S7) for example, counting -- the alarm information [ equipment / machine information / 22 ] for example, a group inequality, change un-granting a permission, etc. -- notifying (Step S9) -- counting -- when machine information equipment 22 displays this, it notifies that an unusual setup was given to the customer

[0051] Moreover, \*\*\*\* information K4 on the member information L corresponding to the member number of the member who performed (Steps S1 and S5) and the \*\*\*\* demand when a customer was not a group member or the family member, either, or when specification of the change point was not performed by the group member It sets and a \*\*\*\* history and the \*\*\*\* sum total are updated (Step S10). It means that the \*\*\*\* sum total of the member who performed the \*\*\*\* demand increases by this, and \*\*\*\* was performed.

[0052] Next, drawing 6 is a flow chart which shows an example of the procedure in the management computer 30 to the information presentation demand from information disclosure equipment 5. A family member or a group member is provided with the service which can refer to member information mutually between the same family or the member of the same group. For example, if a customer inserts a member card in the card plug section and performs an information presentation demand in information disclosure equipment 5, in a management computer 30, processing shown in drawing 6 will be performed and a customer will judge whether you are the family member based on the member number read from the member card (Step S11). And member information F12a - F12c which specifies Family f in [ when a customer is Family's f family member c ] a corresponding family and this case, and is contained in this family with reference to the family member information Ff of the family f who specified It is beginning to read one by one and transmits to information disclosure equipment 5 (Step S12). The family members' a, b, and c member information F12a - F12c which are the same family as the family member c by this It is displayed on information disclosure equipment 5.

[0053] On the other hand, when a customer is not the family member, it judges whether you are (Step S11), next the group member (Step S13). And when a customer is the group member r of Group t, for example, Group t is specified in the group to which a customer belongs, and this case, and it judges whether information presentation is permitted in the service permission information with reference to the attribute information G11 on the group member information Gt on Group t (Step S14). And when information presentation is permitted, it is being begun to read the member information Lp, Lq, and Lr corresponding to the group to which a customer belongs, i.e., the member belonging to Group t, one by one, and transmits to information disclosure equipment 5 (Step S15).

[0054] Thereby, member information Lp-Lr of the member belonging to the same group Gt as the group member r who performed the information presentation demand is displayed on information disclosure equipment 5. Moreover, when a customer is not the family member, either (Step S11) and is not the group member, either (Step S13), and when information presentation is not permitted in service permission information (Step S14), this is notified to information disclosure equipment 5 as an unusual setup (Step S16), and a customer is notified when information disclosure equipment 5 displays an alarm message.

[0055] Next, drawing 7 is a flow chart which shows an example of the procedure of the management computer 30 when a change demand is performed with information disclosure equipment 5. A group member is provided with the service which performs change of \*\*\*\* between the members belonging to the same group.

[0056] For example, if the change demand of \*\*\*\* is performed when a customer inserts a



member card in the card plug section of information disclosure equipment 5 and specifies the member number of the change point, and the number of \*\*\*\* to change, a management computer 30 will perform the flow chart of drawing 7. First, a customer judges whether you are the group member from the member number read in the member card (Step S21). When a customer is the group member next, the group to which this member belongs from the member number specified as the change point is specified, and it judges whether it belongs to the same group as a customer (Step S22).

[0057] And for example, when the group member q of Group t performs a change demand to the group member p, since both the member who performed the change demand, and the member specified to be the change point belong to Group t, he judges whether change is permitted in service permission information with reference to the attribute information G11 on the group member information Gt corresponding to Group t (Step S23).

[0058] When change is permitted, the number of change \*\*\*\* specified to be the \*\*\*\* information on the specified member information Lp of the group member p who changed, subtracted the number of \*\*\*\* and was specified as the change point is added from the \*\*\*\* sum total of the group member's q member information Lq. Moreover, in this, it is each \*\*\*\* information K4. It updates (Step S24). It means that the group member's q \*\*\*\* was changed to the group member p who specified as the change point by this.

[0059] When a customer is judged not to be the group member on the other hand based on the member number read in the member card (Step S21), When the member who required by changing with the member of the member number specified as the change point does not belong to the same group (Step S22), When change is not permitted in the attribute information G11 on the group member information Gt (Step S23) This is notified to information disclosure equipment 5 as an unusual setup, respectively (Step S25), and a customer is notified of an unusual setup by information disclosure equipment 5 displaying an alarm message etc.

[0060] As mentioned above, with the gestalt of this operation, since each customer's member information was managed per the family unit or group, and the coming-to-the-store point is totaled for every group and every family and it enabled it to manage, if a family member or a group member is provided with warm treatment specification according to a family or the coming-to-the-store point for every group, a member can be gained per a family unit or group, for example. Moreover, in a private member, there is little coming-to-the-store point, also about a member who is not provided with the warm treatment privilege according to the coming-to-the-store point, possibility that a warm treatment privilege will be offered can spread, more members can be provided with service, and improvement in \*\*\*\* can be aimed at.

[0061] Moreover, since it can exchange when a premium with many pachinko balls which exchange takes by being able to perform common use of \*\*\*\* easily, for example, cooperating in all families is also earlier, since the \*\*\*\* sum total was counted per family, and the possibility of premium acquisition can be raised about a family member, a member's coming-to-the-store volition can be raised, and \*\*\*\* can be raised.

[0062] Moreover, even when it seems that a certain family member, for example, a, changed his address, and coming to the store became impossible, since it is inherited as a family's number of \*\*\*\* or the coming-to-the-store point, this family member's a number of \*\*\*\* or the coming-to-the-store point can utilize effectively the number of \*\*\*\* or the coming-to-the-store point which the family member a gained. Moreover, an amusement center side does not need to process saving the accumulation data of the family member a who stopped coming to the store until for example, a predetermined period passes etc., either, and is not troubled by the management.

[0063] Moreover, about a group member, even when it becomes impossible for which member in a group to come to the store by move etc., by performing change of \*\*\*\* to a group member, this member's \*\*\*\* can be inherited and it can utilize effectively. Moreover, it can utilize effectively by totaling the coming-to-the-store point per group also about the coming-to-the-store point, without making useless the coming-to-the-store point of the member it became impossible to come to the store.

[0064] Moreover, in the gestalt of the above-mentioned implementation, among family members





or among group members, since it enabled it to show member information, mutual game information or premium exchange information can be seen, for example among members, and the sum total or comparison within a group or a family etc. can be performed.

[0065] Moreover, in the gestalt of the above-mentioned implementation, a family member forms the family member information F per family. Moreover, the shell which a group member forms the group member information G, and managed each family member or the group member by this, A nearby short time can show member information by the case where can distinguish the same family or the member of a group easily, for example, presentation of member information etc. is processed.

[0066] Moreover, about a family member, they can cut down processing with a management computer 30 or a personal computer 32 while they can cut down the amount of information of the part and member database 32A, since information common to each family member, for example, the address, a family name, the telephone number, etc. were summarized to one as common attribute information F11. Moreover, since he is put together, using as a family member the member who resides in the common address and was managed, even when mailing an invitation etc. to \*\*\*\*\*, about a family member, cost reduction can be planned that what is necessary is just to send per family, for example.

[0067] Moreover, to a group member, service permission information is set up beforehand. For example, the shell which offered only the service set up for this service permission information, and by setting up service permission information based on all group members' intention beforehand When there is the coming-to-the-store point's being totaled as the coming-to-the-store point of a group when there is a group member who does not want to total the coming-to-the-store point, or a member who does not want to show member information, it can avoid that member information will be shown etc.

[0068] in addition, a \*\*\*\*\* [ totaling for example all group members' coming-to-the-store point in the gestalt of the above-mentioned implementation based on service permission information to a group member ] — or, although it is made to set up whether member information is shown Although a certain group member's coming-to-the-store point is used as the individual coming-to-the-store point by setting up service permission information for every group member, for example Member information is shown, or although member information is not shown, it is also possible to offer partially service of as opposed to [ like ] a group of totaling as the coming-to-the-store point of a group.

[0069] Moreover, in the gestalt of the above-mentioned implementation, although the case where the number of \*\*\*\* and the coming-to-the-store point were managed per family about a family member was explained, it is also possible to enable it to set up whether in service permission information, the number of \*\*\*\* and the coming-to-the-store point are totaled within a family like a group member's case, and to total the number of \*\*\*\* and the coming-to-the-store point according to this setup, for example.

[0070] Moreover, in the gestalt of the above-mentioned implementation, although the case where the system concerning this invention was applied to a pachinko parlor was explained, the candidate for application of this invention is not limited to this, and can be applied to amusement centers other than a pachinko parlor, for example, the amusement center in which the slot machine which performs a game as a game medium using a medal was installed, the game center which similarly performs various games using a medal.

[0071] Moreover, in the gestalt of the above-mentioned implementation, although the case where only the coming-to-the-store point was totaled about a group member was explained, it is also possible to total also about the number of \*\*\*\* and to enable it to perform exchange with a premium per group.

[0072]

[Effect of the Invention] As explained above, since the member intelligent manufacturing system program of the amusement center concerning the claim 1 of this invention manages a member's member information by which group registration was carried out for every group and offered predetermined group service to the member by whom group registration was done, it can raise the coming-to-the-store volition to a member's amusement center by which group registration



was carried out, and can aim at improvement in \*\*\*\*\*.

[0073] Moreover, since the member intelligent manufacturing system program of the amusement center concerning the claim 2 of this invention offered the group service chosen for every group with the service specification means for every group, it can offer the group service according to the hope of the member in a group by specifying the group service of which a member expects for every group.

[0074] Moreover, since the member intelligent manufacturing system program of the amusement center concerning the claim 3 of this invention changed peculiar accumulation data among the members in the same group for every member, inheritance of accumulation data of it is attained and it can utilize a member individual's accumulation data effectively.

[0075] Moreover, since the member intelligent manufacturing system program of the amusement center concerning the claim 4 of this invention is totaled about the member in a group and offered predetermined service about accumulation data peculiar to the member of the member information according to the accumulation value of this group accumulation data, it can raise the coming-to-the-store volition to a member's amusement center, and can raise \*\*\*\*\*.

[0076] Moreover, the member intelligent manufacturing system program of the amusement center concerning the claim 5 of this invention About information common about all the members in a group among the member information by which group registration was carried out, it is made a bundle as common information. Since each member information is divided into common information and peculiar information peculiar to each member and was managed, while the part and amount of information which put common information together are reducible, the processing load to management of member information is mitigable.

[0077] Furthermore, the member intelligent manufacturing system program of the amusement center concerning a claim 6 Since the predetermined personal data for every member of the peculiar information are gathered about the member in the same group and were managed as accumulation data of the whole group For example, even when it seems that it became impossible for the member in a group to come to the store by move etc., since it manages as accumulation data of the whole group about personal data, it cannot be troubled by management of the personal data of the member who stopped coming to the store by the amusement center side, and member information can be managed easily.

---

[Translation done.]



\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1.This document has been translated by computer. So the translation may not reflect the original precisely.

2.\*\*\*\* shows the word which can not be translated.

3.In the drawings, any words are not translated.

---

DESCRIPTION OF DRAWINGS

---

[Brief Description of the Drawings]

[Drawing 1] It is drawing showing the whole gestalt composition of 1 operation of this invention.

[Drawing 2] It is an example of the general member information L.

[Drawing 3] It is an example of the family member information F.

[Drawing 4] It is explanatory drawing showing the state of control of a group member's member information.

[Drawing 5] It is the flow chart in the management computer 30 to a \*\*\*\* demand which shows an example of processing.

[Drawing 6] It is the flow chart in the management computer 30 to an information presentation demand which shows an example of processing.

[Drawing 7] It is the flow chart in the management computer 30 to a change demand which shows an example of processing.

[Description of Notations]

1 Hole

2 Game Machine Island

3 Surveillance Room

5 Information Disclosure Equipment

10 Pachinko Machine

11 Ball Rental Machine

12 Game Machine Information Equipment

13 21 Card reader

20 Counting -- Machine

22 Counting -- Machine Information Equipment

25 Terminal for Premium Exchange

30 Management Computer

32 Personal Computer

50 Telecommunication Cable

---

[Translation done.]

